

SEWING INSTRUCTIONS: BRALETTE

www.makebra.com




A

Cut the elastics to surround the cup:

1. elastic length 14 cm (5 1/2") x 2
2. elastic 17 cm (6 3/4") x 2
3. elastic 21,5 cm (8 1/2") x 2

Use a wide zigzag for attaching the elastics.

- Stretch 1. elastic while sewing.



SEWING INSTRUCTIONS: BRALETTE


www.makebra.com

B

Place the cups on a grid drawing in order to find the intersection points of the elastics 3. Zigzag them together.

C

Do a baste stitch on a seam allowance and gently pull the top thread. Match the cup between the markings of the bottom elastic.




SEWING INSTRUCTIONS: BRALETTE

www.makebra.com

D

Attach the cups with two zigzag rows.




SEWING INSTRUCTIONS: BRALETTE

www.makebra.com

F

Cut strap elastic 45 cm (17 3/4") x 2. Attach slides and rings to straps and straight stitch the straps to the top of the cups. Attach the hook & eye closure and straps on the back.




SEWING INSTRUCTIONS: BRALETTE

www.makebra.com

G

Fold the open end of the elastic 3 around the strap and stitch.





SEWING INSTRUCTIONS: STRING

www.makebra.com

A

Zigzag a crotch lining in place from its upper edge and attach elastic 1 to the upper edge of the center back piece.




SEWING INSTRUCTIONS: STRING

www.makebra.com

B

Attach elastic 2.




SEWING INSTRUCTIONS: STRING

www.makebra.com

C

Attach elastics 3 and 4. Elastic 4 continues 7 cm (2 3/4") from the center back piece.




SEWING INSTRUCTIONS: STRING

www.makebra.com

D

Sew elastics 5 and 6. Attach elastic ends at the wrong side of the back piece.



SEWING INSTRUCTIONS: STRING

www.makebra.com

F

Attach elastic 2 to center of the back piece as well.
Join the crotch and the crotch elastic together
with a zigzag.

